Freeform Search

	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database
Database:	EPO Abstracts Database JPO Abstracts Database
	Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L12 and @py<1999
Display:	10 Documents in <u>Display Format</u> : CIT Starting with Number 1
	O Hit List O Hit Count O Side by Side O Image
Generate:	→ HILLIST → HILCOUIT → SIUC DY SIUC → IIIIAge
Generate:	Search Clear Interrupt

DATE: Friday, December 10, 2004 Printable Copy Create Case

Set Name	e Query	Hit Count	Set Name
side by side	e		result set
DB=U	SPT; PLUR=YES; OP=OR		
<u>L13</u>	L12 and @py<1999	14	<u>L13</u>
<u>L12</u>	19 and L11	76	<u>L12</u>
<u>L11</u>	(cucumber adj mosaic adj virus)	711	<u>L11</u>
<u>L10</u>	CMV and L9	4546	<u>L10</u>
<u>L9</u>	fusion adj protein	18365	<u> L9</u>
<u>L8</u>	(cucumber mosaic virus) and (fusion protein)	49429	<u>L8</u>
<u>L7</u>	(cucumber mosaic virus) near fusion	417	<u>L7</u>
<u>L6</u>	12 near fusion	417	<u>L6</u>
<u>L5</u>	12 same fusion	7249	<u>L5</u>
<u>L4</u>	(fusion) and L3	23489	<u>L4</u>
<u>L3</u>	(coat protein) and L2	50199	<u>L3</u>
<u>L2</u>	(cucumber mosaic virus)	74807	<u>L2</u>
<u>L1</u>	(fusion protein) and ubiquitin	2451	<u>L1</u>

END OF SEARCH HISTORY

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 10 of 14 returned.

☐ 1. Document ID: US 5846795 A

L13: Entry 1 of 14

File: USPT

Dec 8, 1998

US-PAT-NO: 5846795

DOCUMENT-IDENTIFIER: US 5846795 A

** See image for <u>Certificate of Correction</u> **

TITLE: RNA transformation vector

DATE-ISSUED: December 8, 1998

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Ahlquist; Paul G.

Madison

WI

French; Roy C.

Madison

WI

US-CL-CURRENT: 435/468; 435/320.1, 435/419, 536/23.72, 536/24.1, 536/24.5

Full Title Citation Front Review Classification Date Reference

☐ 2. Document ID: US 5801028 A

L13: Entry 2 of 14

File: USPT

Sep 1, 1998

US-PAT-NO: 5801028

DOCUMENT-IDENTIFIER: US 5801028 A

** See image for Certificate of Correction **

TITLE: Osmotin gene promoter and use thereof

DATE-ISSUED: September 1, 1998

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Bressan; Ray

W. Lafayette

IN

Hasegawa; Paul M.

W. Lafayette

IN

US-CL-CURRENT: 800/279; 435/200, 435/320.1, 435/419, 536/23.6, 536/24.5

Full Title Citation Front Review Classification Date Reference

☐ 3. Document ID: US 5736627 A

L13: Entry 3 of 14

File: USPT

Apr 7, 1998

US-PAT-NO: 5736627

DOCUMENT-IDENTIFIER: US 5736627 A

TITLE: Virus resistant plants having coat protein

DATE-ISSUED: April 7, 1998

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Loesch-Fries; L. Sue

Shorewood Hills

WI

COOMINI

Jarvis; Nancy P.

Merlo; Donald J.

Madison Madison

WI

WI

US-CL-CURRENT: 800/280; 435/252.2, 435/252.3, 435/252.33, 435/320.1, 435/418, 435/419, 435/468, 435/469, 435/470, 435/69.1, 536/23.72, 800/301

Full Title Citation Front Review Classification Date Reference

☐ 4. Document ID: US 5670353 A

L13: Entry 4 of 14

File: USPT

Sep 23, 1997

US-PAT-NO: 5670353

DOCUMENT-IDENTIFIER: US 5670353 A

** See image for Certificate of Correction **

TITLE: Subgenomic promoter

DATE-ISSUED: September 23, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Ahlquist; Paul G.

Madison

WI

French; Roy C.

Lincoln

NE

US-CL-CURRENT: 435/468; 536/23.1, 536/24.1

Full Title Citation Front Review Classification Date Reference

☐ 5. Document ID: US 5633447 A

L13: Entry 5 of 14

File: USPT

May 27, 1997

US-PAT-NO: 5633447

DOCUMENT-IDENTIFIER: US 5633447 A

** See image for <u>Certificate of Correction</u> **

Record List Display

TITLE: Plant tissue comprising a subgenomic promoter

DATE-ISSUED: May 27, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE COUNTRY

Ahlquist; Paul G.

Madison

WI

French; Roy C.

Lincoln

NE

US-CL-CURRENT: <u>435/414</u>; <u>435/419</u>, <u>536/23.1</u>, <u>536/24.1</u>

	Full T	itle	Citation	Front	Review	Classification	Reference		Claims	KMC	Draw (

L13: Entry 6 of 14

File: USPT

Apr 8, 1997

US-PAT-NO: 5618699

DOCUMENT-IDENTIFIER: US 5618699 A

TITLE: Plant virus vector, plasmid, process for expression of foreign gene and process for obtaining foreign gene product

DATE-ISSUED: April 8, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Hamamoto; Hiroshi	Tsukuba			JP
Sugiyama; Yoshinori	Odawara	· · · · · · · · · · · · · · · · · · ·		JP
Nakagawa; Noriaki	Odawara			JP
Hashida; Eiji	Odawara			JP
Tsuchimoto; Suguru	Odawara			JP
Nakanishi; Noriyuki	Zama			JP
Matsunaga; Yuji	Osaka			JР
Okada; Yoshimi	Matsudo			JP

US-CL-CURRENT: 435/69.7; 435/235.1, 435/320.1, 435/69.1, 435/70.1, 536/23.72

Full Titl	itle Citation	Front	Review	Classification	Date	Reference		Claims	KWIC	Drawu C

/. **Document ID**: **U3** 3390132 A

L13: Entry 7 of 14

File: USPT

Jan 21, 1997

US-PAT-NO: 5596132

DOCUMENT-IDENTIFIER: US 5596132 A

TITLE: Induction of resistance to virus diseases by transformation of plants with a portion of a plant virus genome involving a read-through replicase gene

DATE-ISSUED: January 21, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Zaitlin; Milton

Ithaca

NY

Golemboski; Daniel

Ithaca

NY

Date Reference

Lomonossoff; George

Norwich

GB2

Claims

US-CL-CURRENT: 800/280; 435/320.1, 435/469, 536/23.2, 800/294, 800/301

□ 8. Document ID: US 5561062 A

Title Citation Front Review Classification

L13: Entry 8 of 14

File: USPT

Oct 1, 1996

US-PAT-NO: 5561062

DOCUMENT-IDENTIFIER: US 5561062 A

TITLE: Method of inhibiting viral reproduction using non-phospholipid,

paucilamellar liposomes

DATE-ISSUED: October 1, 1996

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Mar 19, 1996

Varanelli; Carol

Chester

NH

Kumar; Surendra

Vineland

NJ

Wallach; Donald F. H.

Hollis

NH

File: USPT

US-CL-CURRENT: <u>435/238</u>; <u>424/450</u>, <u>424/94.3</u>, <u>435/236</u>

Full Title Citation Front Review Classification Date Reference Claims KWC Draw De

US-PAT-NO: 5500360

L13: Entry 9 of 14

DOCUMENT-IDENTIFIER: US 5500360 A

TITLE: RNA transformation vector

DATE-ISSUED: March 19, 1996

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Ahlquist; Paul G.

Madison

WI

French; Roy C.

Madison

WI

US-CL-CURRENT: 435/468; 435/235.1, 435/320.1, 435/69.1, 435/70.1, 536/23.72,

536/24.5

Full Title Citation Front Review Classification Date Reference

☐ 10. Document ID: US 5466788 A

L13: Entry 10 of 14

File: USPT

Nov 14, 1995

US-PAT-NO: 5466788

DOCUMENT-IDENTIFIER: US 5466788 A

** See image for Certificate of Correction **

TITLE: Subgenomic promoter

DATE-ISSUED: November 14, 1995

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Ahlquist; Paul G.

Madison

WI

French; Roy C.

Lincoln

NE

US-CL-CURRENT: 536/24.1; 536/23.1

Full	Title Citati	ion Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. D
Clear	Ger	nerate Cc		Print		wd Refs	Bkw	I Reis	Gener	ate OA	CS
	Terms						Docume	nts			
	L12 and	@py<19)99					•		14	

Display Format: CIT Change Format

Previous Page Next Page Go to Doc#

First Hit Fwd Refs

Previous Doc Next Doc Go to Doc#

☐ Generate Collection Print

L13: Entry 4 of 14

File: USPT

Sep 23, 1997

DOCUMENT-IDENTIFIER: US 5670353 A

** See image for Certificate of Correction **

TITLE: Subgenomic promoter

YEAR ISSUED (1):

1997

Brief Summary Text (4):

Single-stranded RNA viruses which are capable of replicating in the cytoplasm of host cells are widespread in nature. Those single-stranded viruses with message-sense genomic RNA molecules are called (+) strand, or positive strand, RNA viruses. Among the known (+) strand RNA viruses there are bacteria-specific, animal-specific, and plant-specific varieties. There is much diversity in the morphology of virus particles, coat proteins, genetic organization, and genome size. The (+) strand RNA viruses include, but are not limited to, Q-beta bacteriophage, poliovirus and alphaviruses (including Sindbis virus) of animal cells, and the bromoviruses (including brome mosaic virus) and the comoviruses (including cucumber mosaic virus) of plants.

Detailed Description Text (13):

A structural gene refers to the combination of nucleotide sequences encoding a protein and (some of) the regulatory sequences which allow expression of that structural gene in a plant cell or tissue. The term structural gene refers to that portion of a gene composed of a DNA segment coding for a protein, polypeptide or portion thereof, possibly including a ribosome binding site and/or translational start codon. The term can also refer to copies of a structural gene naturally found within the cell, but artificially introduced. In this case a structural gene naturally found in a cell may be reintroduced into a cell as part of a chimeric gene having non-natural regulatory control sequences, for example under the control of the BMV subgenomic promoter. The structural gene may encode a protein not normally found in the plant cell in which the gene is introduced, in which case it is termed a foreign structural gene. A foreign structural gene may be derived in whole or part from a bacterial genome or episome, eukaryotic nuclear or plastid DNA, cDNA, viral DNA, or chemically synthesized DNA. It is further contemplated that a structural gene may contain one or more modifications in either the coding segments or in the untranslated regions which could affect the biological activity or the chemical structure of the expression product, the rate of expression, or the manner of expression control. Such modifications include, but are not limited to, insertions, deletions and substitutions of one or more nucleotides. The structural gene may constitute an uninterrupted coding sequence or it may include one or more introns, bounded by host cell-functional splice junctions. The structural gene may be a composite of segments derived from a plurality of sources, naturally occurring or synthetic. That structural gene may also produce a fusion protein. It is contemplated that the introduction into host cells of recombinant DNA containing the structural gene in combination with a subgenomic promoter or with a polII promoter will include constructions in which the structural gene is not derived from the same kind of cell as the host, and constructions wherein additional copies of naturally occurring genes are expressed under BMV subgenomic promoter control.

Previous Doc

Next Doc

Go to Doc#